

Step into warmth and luxury with European underfloor heating

Underfloor and in-shower electric heating mats




Enjoy warmth beneath your feet

Crafted for optimal comfort and a luxurious experience, these underfloor heating mats bring fast and efficient underfoot warmth. Equipped with an electronic controller featuring seamless Wi-Fi connectivity, they effortlessly maintain your desired floor temperature at your preferred time.

Bathroom mould can frequently pose a challenge, especially in the shower, where lingering water is a constant issue. The inshower heating mat serves as a potent solution, thwarting mould growth by heating the shower floor and drying the area quickly.



WiFi-connectivity



Mesh can be cut to fit room shape and around fixtures



Download the "SWATT" App



Underfloor heating mats



Shower underfloor heating mats

Top product features

- Helps prevent mould by drying out bathroom floors and shower bases
-) Made in Germany
- Radiant heating ideal for respiratory conditions.
- > Electronic controller with WiFi-connectivity
- > Customisable program settings
- One controller can operate both the underfloor and in-shower mat up to 10m²
- Easy installation with adhesive mesh to hold mat in place
- Ideal for renovations as the mat is not required to be recessed into the building slab
- > Silent operation
-) 7 year domestic warranty^



Underfloor heating: where opulence meets functionality, providing a luxurious, warm underfoot experience.

Technical Data

Shower underfloor heating mats




Model Model number Length/Width/Height mm Area m² Connected load W Connection U Installation requirements U Controller U

Shower U/FLR Heating Mat 0.8m ²		
205724		
4000/200/≃3		
0.8		
160		
1/N/PE~230V 50Hz		
As per AS/NZS3000		
Not included		

Technical Data

Underfloor heating mats



Model	
Model number	
Length/Width/Height	mm
Area	m ²
Connected load	W
Connection	
Installation requirements	
Controller	

FTM 1 m ² Pack	
234916	
2000/500/≃3	
1	
150	
1/N/PE~230V	
As per AS/NZS3000	
Included	

23440	19	
4000/	500/≃3	
2		
300		
1/N/P	E~230V	
As pe	r AS/NZS3000	
Inclu	ded	

FTM 2 m² Pack

234410	
6000/500/≃3	
3	
450	
1/N/PE~230V	
As per AS/NZS3000)
Included	

205704
8000/500/≃3
4
600
1/N/PE~230V
As per AS/NZS3000
Included

Model	
Model number	
Length/Width/Height	mm
Area	m ²
Connected load	W
Connection	
Installation requirements	
Controller	

FTM 5 m² Pack	
205705	
10,000/500/≃3	
5	
750	
1/N/PE~230V	
As per AS/NZS3000	
Included	

FTM 6 m ² Pack	
234413	
12,000/500/≃3	
6	
900	
1/N/PE~230V	
As per AS/NZS3000	
Included	

FIM /	m- P	аск	
234414			
14,000	/500/	≃3	
7			
1050			
1/N/PE	~230	V	
As per	AS/N	IZS300	0
Includ	ed		

F	TM 8 m² Pack
2:	37849
(1	.2,000+4,000)/500/~3 [†]
8	
12	200
1/	/N/PE~230V
A	s per AS/NZS3000
lr	ıcluded

Model	
Model number	
Length/Width/Height	mm
Area	m ²
Connected load	W
Connection	
Installation requirements	
Controller	

FTM 9 m ² Pack	<u> </u>
236720	2
(14,000+4,000)/500/~3 [†]	(
9	1
1350	1
1/N/PE~230V	1
As per AS/NZS3000	I
Included	Ī
	-

234	415
(10	,000+10,000)/500/≃3 ¹
10	
150	0
1/N	I/PE~230V
As	per AS/NZS3000
Inc	luded

[†]Packs 8m², 9m², and 10m² contain two mats.